

# SUPER SLEEPER

Composite Retaining Wall



**Find us at:**


[www.supersleepers.com.au](http://www.supersleepers.com.au)

**Contact us:**

[info@supersleepers.com.au](mailto:info@supersleepers.com.au)

1300 5SUPER (1300 578 737)

**Follow us:**





## SuperSleeper

SuperSleeper is a horizontal support beam, used as the primary support of the wall structure. They can also be used in garden beds, pathways, and other landscaping features (1950mm - W5.4kg; 2350mm - W5.4kg).

Available in Standard Grey (pictured) and Woodland Grey.

## SuperPlinth

SuperPlinth is installed at the base of a fence, particularly in situations where the fence needs to be raised or elevated, SuperPlinth serves multiple purposes such as providing stability to the fence, preventing soil erosion, and enhancing the overall appearance of the fence line (2380mm - W6.106kg; 3160mm - W8.19).

Available in Standard Grey (pictured).



## SuperCap

SuperCap is placed atop a retaining wall for protection, and aesthetics, it shields the wall from weathering, whilst enhancing the walls appearance (2030mm - W1.729; 2425mm - W2.063).

Available in Standard Grey (pictured) and Black.

SuperPosts are made from composite materials specifically designed for use with the SuperSleeper Retaining Wall System. SuperPost are installed vertically into the group and serve as the primary structural support for the retaining wall, helping to stabilize the retaining wall sleepers and prevent soil erosion or collapse.




## SuperPost 180H

SuperPost 180H are typically used for intermediate posts, for walls up to 1600mm in height (*W17.1kg*). Available in Standard Grey (pictured) and Black.



## SuperPost 120C


SuperPost 120C typically used for corners, change of directions or end posts (*W6.9kg*). Available in Standard Grey (pictured) and Black.



## SuperPost 120H

SuperPost 120H typically used for intermediate posts, for walls up to 1000mm in height (*W5.9kg*). Available in Standard Grey (pictured) and Black.





## SuperBracket

SuperBracket is a specialised bracket designed to attach a fence directly to a retaining wall, designed to provide a secure and stable connection between the fence and the retaining wall posts (*W0.642kg*).

## SuperSupport

Used in the construction of SuperSleeper retaining walls to provide foundational support and stability to the bottom sleeper. It is made from composite materials and serves as the foundation upon which the wall is built. SuperSupport helps to distribute the vertical weight of the retaining wall evenly and prevents settling or shifting of the wall over time. Additionally, SuperSupport can be used for providing further stability to the SuperCap when installed atop of top sleeper during retaining wall construction.



## SuperDrain

A drainage cell/drainage mat used in the construction of retaining walls to manage water drainage. SuperDrain consists of a series of interconnected dimples that create channels for water to flow through. The drainage cell is installed behind the retaining wall structure and serves to collect and redirect water away from the wall, preventing hydrostatic pressure buildup and potential wall failure.

## SuperWedge

SuperWedge is made of durable plastic and is designed to securely hold the SuperSleeper in place during installation. SuperWedge shape allows for easy insertion and adjustment, ensuring a tight fit between the SuperSleeper and SuperPost (*W0.016kg*).

